


**HANSAMATRIX
trim kit installation set 07
thermostatic mixer, DN 15 (G1/2)**

suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA, HANSASTECLA, HANSARONDA
with wall-bar set
with HANSARAIN overhead shower, DN 15



Description

HANSAMATRIX
trim kit installation set 07
thermostatic mixer, DN 15 (G1/2)
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA,
HANSASTECLA, HANSARONDA
with wall-bar set
with HANSARAIN overhead shower, DN 15

HANSARAIN
overhead shower, DN 15
shower head, solid brass Ø 220 mm
also compatible with HANSAMATRIX
Item No.: 04180300
Qty: 1
with shower arm 400 mm
(-) reinforced edition, pipe Ø 26 mm
connection G 1/2
mounting flange and additional fastening plate
wall connection plate square, twist-resistant
flow limiter
ball joint connection: 45° swivel
limescale protection technology

HANSAMATRIX
trim kit
thermostatic mixer
suitable for HANSALOFT, HANSADESIGNO, HANSALIGNA,
HANSASTECLA, HANSARONDA
with 2-way-diverter/with volume control
rosette without screws
Item No.: 44539503
Qty: 1
trim kit consisting of:
temperature control handle (metal) with safety stop at
38°C
lever for diverter (metal)
sleeve and wall rosette
trim plate frame
retrofittable temperature limiter at approximately 38 °C

HANSAMATRIX
wall bar set 1100 mm
with wall connection elbow
Item No.: 44420100
Qty: 1
wall bar
1100 mm, Ø 18 mm
length can be shortened
HANSASTILO hand shower
Silverjet® shower hose 1600 mm, chrome optic
height adjustment: push button control
slide: swivelling
flexible shower holder
wall connection elbow

Model	Item No.	M
chrome	44870070	M
suitable for concealed installation package 4486 0040		
